Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.73

Thomas B. Meehan

Albert F. Meehan

Thomas B. Meehan Co.

Wholesale Nurserymen

TRADE LIST

FALL 1922

This Catalogue Cancels all Previous Price Lists
Prices Net No Discounts

Dresher P. O., Penna.

Bell Telephone Ambler 226-W



Western Union, Ambler, Pa.

FALL 1922 TRADE LIST

CUSTOMERS are requested to state the mode of conveyance by which they desire their trees forwarded. When no route is named, we forward to the best of our judgment, without liability for error or delay.

RESPONSIBILITY.—After goods are placed on board cars here, we assume no responsibility for their safe or prompt delivery, or any injury caused by delay in delivery by the transportation company.

ALL CLAIMS must be made upon receipt of goods.

TERMS CASH, on or before delivery to express or railroad agents unless by special arrangement.

Two hundred and fifty, twenty-five or five of any one variety will be furnished by the thousand, hundred and ten rates, respectively, but single plants of one or more varieties will not be sold at less than 20 cents each, except Vines the minimum price of which will be 15 cents each.

PACKING CHARGED EXTRA, but only sufficient to cover cost of time and material consumed in the work. When sending cash with order, add fifteen per cent. to the amount of the bill to cover packing charges.

POST OFFICE ORDERS payable at Dresher P. O., Montgomery County, Penna.

WESTERN UNION TELEGRAPH, AMBLER, PA. Use Nurserymen's Telegraphic Code or "A B C" Code, 4th edition.

VISITORS are always welcome and should take train at the Reading Terminal, 12th and Market Streets, Philadelphia, for Camp Hill Station, or at Broad Street Station, Pennsylvania R. R., for Fort Hill Station. Be sure that the train stops at these stations.

NOTICE.—It is necessary that you should TELEPHONE us (Bell Phone, Ambler 226-W; Keystone Phone, Jenkintown 652-Y), in advance of your coming, so that we can send an automobile to he station for you. Our office is $2\frac{1}{2}$ miles from either station.

CERTIFICATE OF INSPECTION

Our nurseries are inspected several times each year, by inspectors of the Entomological Division of the Department of Agriculture of the State of Pennsylvania, and are free from insect pests and diseases. A certificate of the Department is attached to all shipments, and will also be furnished customers if, desired.

Deciduous Trees

| | Per 10 | Per 100 |
|---|---------------|---------|
| Acer campestre, English Cork Maple | | |
| 3 to 4 ft | | 40.00 |
| 4 to 5 ft | 6.00 | 50.00 |
| 8 to 10 ft. very bushy | 15.00 | 125.00 |
| " dasycarpum (eriocarpum) Silver Map | le | |
| 1¼ to 1½ inch, cal | | 60.00 |
| 1½ to 1¾ inch cal | | 90.00 |
| 1¾ to 2 inch. cal | 12.50 | 100.00 |
| 2 to 2¼ inch cal | 15.00 | 135.00 |
| 2¼ to 2½ inch cal | 17.50 | 150.00 |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ inch cal | | 200.00 |
| 3 to 3½ inch. cal | | |
| 3½ to 4 inch cal | 35.00 | |
| 4 to 5 inch. cal | 40.00 | |
| " dasycarpum Weiri, Weir's cut-leaved I | Maple | |
| 2 to 2¼ inch cal | . 22.50 | |
| 2¼ to 2½ inch cal | | |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ inch cal | | |
| 3 to 3½ inch. cal | | |
| 3½ to 4 inch. cal | 40.00 | |
| 4 to 5 inch cal | . 45.00 | |
| " Negundo, Ash-leaved Maple, Box Elde | r | |
| 1½ to 1¾ inch cal, | . 10.00 | |
| 1¾ to 2 inch cal | . 12.50 | |
| 2 to 2¼ inch cal | . 15.00 | |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ inch cal | . 17.50 | |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ inch cal | . 20.00 | |
| 2¾ to 3 inch cal | . 22.50 | |
| " platanoides, Norway Maple | | |
| 1¼ to 1½ inch cal | 16.00 | 150.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ inch cal | . 18.50 | 175.00 |
| 1¾ to 2 inch cal | . 21.00 | 200.00 |
| 2 to 2¼ inch cal | | 250.00 |
| 2¼ to 2½ inch cal | | 265.00 |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ inch cal | | 325.00 |
| 2¾ to 3 inch cal | | 350.00 |
| 3 to 3½ inch cal | | 375.00 |
| 3½ to 4 inch cal | 42.50 50.00 | 400.00 |
| | | |
| " Schwedleri, Schwedler's Purple-leave | | |
| 1¼ to 1½ inch cal | | |
| 1½ to 1¾ inch cal | | |
| 1¾ to 2 inch. cal | 30.00 | |
| 2 to 2¼ inch. cal | 32.50 | |
| 2½ to 2½ inch. cal | | |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ inch cal | | |
| 2% to 5 men car, | 40.00 | |

| Acer, (Cont.) | Per 10 | Per 100 |
|---|-----------------------|-----------------|
| " rubrum, Red or Scarlet Maple | | |
| 1½ to 1¾ inch cal | 13.50 | |
| 1¾ to 2 inch cal | 15.00 | |
| 2¾ to 3 inch cal | 22.50 | |
| " saccharum, Sugar or Rock Maple | | |
| 8 to 10 ft | 8.50 | |
| 10 to 12 ft | 10.00 | |
| 1¼ to 1½ inch cal | 12.50 | 100.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ inch cal | 13.50 | 115.00 |
| 1¾ to 2 inch cal | 17.50 | 150.00 |
| 2 to 2¼ inch cal | 20.00 | 185.00 |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ inch cal | $\frac{22.50}{25.00}$ | 200.00 |
| " Tataricum Ginnale | 20.00 | |
| 3 to 4 ft | 5.50 | 50.00 |
| 4 to 5 ft | 8.50 | 75.00 |
| 5 to 6 ft | 10.00 | 90.00 |
| 6 to 7 ft, | 15.00 | 135.00 |
| Ailanthus glandulosa (Japonica) Tree of H | eaven | |
| 1½ to 2 inch cal | 10.00 | |
| Alnus glutinosa, European Alder | | |
| 1½ to 1¾ inch cal | 12.50 | |
| 1¾ to 2 inch cal | 15.00 | |
| 2 to 2¼ inch cal | 17.50 | |
| 2½ to 2½ inch cal | 20.00 | |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ inch cal | 22.50 | |
| 2¾ to 3 inch cal | 25.00 | |
| " incana | | |
| 1¼ to 1½ inch cal | 10.00 | |
| 2 to 21/4 inch cal | 17.50 | |
| 2¼ to 2½ inch cal | 20.00 | |
| 3 to 3½ inch cal | 27.50 | |
| Aralia, Hercules Club, see shrub section | | |
| Betula alba, European White Birch | | |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ inch cal | 17.50 | |
| 2½ to 2¾ inch cal | 20.00 | |
| 2¾ to 3 inch cal | 22.50 | |
| 3 to 3½ inch cal | 25.00 | |
| 3½ to 4 inch cal | 27.50 | |
| icita, sweet, cherry of black birth | | |
| 1¾ to 2 inch cal | 17.50 | |
| 2¼ to 2½ inch cal | 22.50 | |
| 2½ to 2¾ inch cal | $25.00 \\ 30.00$ | |
| 3 to 3½ inch cal. | 30.00 | |
| Tutea, Tellow Direit | 7.50 | 20.00 |
| 6 to 8 ft | 7.50 | 60.00 |
| 8 to 10 ft | $10.00 \\ 12.50$ | 85.00 |
| 1½ to 1½ inch cal | 12.50 15.00 | 100.00 125.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ inch cal | 17.50 | 150.00 |
| 2 to 2 ¹ / ₄ inch cal | 20.00 | 100.00 |
| | _ 3.00 | |
| Betula, Continued Page 5 | | |

| Brosner, montgomer, con ra | | |
|---|---------|--------|
| Betula. (Cont.) | Per 10 | Per 10 |
| " papyrifera, Paper or Canoe Birch | | |
| 4 to 6 ft | 6.00 | 50.0 |
| 6 to 8 ft | 7.50 | 60.0 |
| 1½ to 1¾ inch cal | 15.00 | 00.0 |
| 1% to 0% nch col | | |
| 1¾ to 2 inch cal | 17.50 | |
| 2 to 2¼ inch cal | 20.00 | |
| 2¾ to 3 inch cal | 27.50 | |
| 3 to 3½ inch cal | 30.00 | |
| " nigra (rubra) River or Red Birch | | |
| 1¼ to 1½ inch cal | 9.00 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ inch cal | 10.00 | 75.0 |
| 1¾ to 2 inch cal | 12.50 | 100.0 |
| 2 to 2¼ inch cal | 15.00 | 125.0 |
| 2½ to 2½ inch cal | 17.50 | 150.0 |
| 2½ to 2¾ inch cal | | |
| 272 to 274 filest cas, | 20.00 | 175.0 |
| 2¾ to 3 inch cal | 22.50 | 200.0 |
| 3 to 3½ inch cal | 27.50 | 225.0 |
| 3½ to 4 inch cal | 30.00 | |
| " populifolia, Poplar or American White | Birch | |
| 1¾ to 2 inch cal | 17.50 | |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ inch cal | 22.50 | |
| Carpinus Americana (Carolina) American H | ornbeam | |
| '4 to 5 ft | 6.00 | 50.0 |
| 5 to 6 ft | 7.50 | 60.0 |
| | | |
| 6 to 7 ft | 8.50 | 75.0 |
| betulus, European Hormbeam | = 00 | 40.4 |
| 3 to 4 ft | 5.00 | 40.0 |
| 4 to 5 ft | 6.50 | 60.0 |
| 5 to 6 ft. very bushy | 10.00 | 85.0 |
| 6 to 7 ft. very bushy | 12.50 | 100.0 |
| Carya alba (Hicora) Shellbark | | |
| 2 to 3 ft | 8.50 | 75.0 |
| 3 to 4 ft | 10.00 | |
| | 10.00 | |
| Catalpa Bungei, Standards | | |
| 2-year heads, $5\frac{1}{2}$ to 6 ft. stem | 12.50 | |
| 4-year old, cut back last spring | 30.00 | 250.0 |
| $4\frac{1}{2}$ to $5\frac{1}{2}$ ft. stem | | |
| " speciosa, Western Catalpa | | |
| 1¼ to 1½ inch cal | 6.50 | |
| | | 75 |
| 1½ to 1¾ inch cal | 8.50 | 75. |
| 1¾ to 2 inch cal | 10.00 | 85. |
| 2 to 2¼ inch cal | 12.50 | 100. |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ inch cal | 15.00 | 135. |
| Cercis Canadensis, see Deciduous Shrubs | | |
| Cornus florida and rubra, see Deciduous Shi | rubs | |
| Crataegus, see Deciduous Shrubs | | |
| Fagus ferruginea, American Beech | | |
| | 19 50 | 105 |
| 4 to 5 ft | 13.50 | 125.0 |
| 5 to 6 ft | 16.50 | 150.0 |
| 6 to 8 ft | 20.00 | |
| Fagus, Continued Page 6 | | |
| | | |

| Thomas Di moditali Go. | | |
|---|-----------------|-----------------|
| Fagus, (Cont.) | Per 10 | Per 100 |
| " sylvatica, European Beech | | |
| 2 to 3 ft | 6.50 | 60.00 |
| 3 to 4 ft | 8.50 | 75.00 |
| 4 to 5 ft | 12.50 | 115.00 |
| 5 to 6 ft | 16.50 | 150.00 |
| 6 to 7 ft | 17.50 | 165.00 |
| 7 to 8 ft | 18.50 | 175.00 |
| 8 to 10 ft | 22.50 | 200.00 |
| " sylvatica River's, River's Blood leaved | | |
| 6 to 7 ft | 35.00 | |
| Fraxinus quadrangulata, Blue Ash | | |
| 1¼ to 1½ inch cal | 10.00 | |
| " viridis (lanceolata) Green Ash | | |
| Villuis (lanceolata) Green Ash | 0.50 | F0.00 |
| 8 to 10 ft | 6.50 - 7.50 | 50.00 65.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ inch cal | 10.00 | 90.00 |
| 1¾ to 2 inch cal. | 12.50 | 100.00 |
| 2 to 2½ inch cal | 15.00 | |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ inch cal | 17.50 | |
| Ginkgo, see Salisburia | | |
| | | |
| Gleditschia triacanthos, Honey Locust | | |
| 6 to 8 ft | 6.00 | 50.00 |
| 8 to 10 ft | 7.50 | 65.00 |
| Kolreuteria paniculata, Varnish Tree | | |
| 5 to 6 ft | 5.00 | |
| Liquidambar styraciflua, Sweet Gum | | |
| 5 to 6 ft | 7.50 | |
| 6 to 8 ft | 10.00 | |
| | | |
| Liriodendron tulipifera, Tulip Poplar | 0 =0 | 5 × 00 |
| 8 to 10 ft | $8.50 \\ 10.00$ | 75.00 |
| 10 to 12 ft | 12.50 | 90.00 100.00 |
| 1½ to 1¾ inch cal | 13.50 | 125.00 |
| 1¾ to 2 inch cal. | 15.00 | 135.00 |
| 2 to $2\frac{1}{4}$ inch cal | 17.50 | 150.00 |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ inch cal | 20.00 | 175.00 |
| 2½ to 2¾ inch cal | 22.50 | 200.00 |
| 2¾ to 3 inch cal | 25.00 | 225.00 |
| 3 to 3½ inch cal | 27.50 | |
| Magnolia acuminata, Cucumber Tree | | |
| 4 to 6 ft | 7.50 | |
| Malus loensis, Bechtel's double flowering | | |
| 3 to 4 ft | 8.50 | |
| 4 to 5 ft | 10.00 | |
| 5 to 6 ft | 12.50 | |
| Morus Tatarica, Tea's Weeping | | |
| | 1750 | |
| 2-year heads | 17.50 | |
| Negundo, see Acer negundo | | |

| | , | |
|---|---------------|------------------|
| | Per 10 | Per 100 |
| Platanus Orientalis, European Syca | amore, Plane | |
| 8 to 10 ft | 6.50 | 55.00 |
| 1¼ inch cal | | 75.00 |
| 1½ to 1¾ inch cal | $\dots 12.50$ | 100.00 |
| 1¾ to 2 inch cal | 15.00 | 135.00 |
| 2 to 2¼ inch cal | 17.50 | 150.00 |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ inch cal | 20.00 | 175.00 |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ inch cal | | |
| $2\frac{3}{4}$ to 3 inch cal | 25.00 | |
| Populus Bolleana, Bolle's Silver I | Poplar | |
| 5 to 6 ft | | 35.00 |
| 10 to 12 ft | | |
| " fastigiata (Italica) Lombard | v Ponlar | |
| 6 to 8 ft | · - | 20.00 |
| 8 to 10 ft | | 30.00 35.00 |
| | | 55.05 |
| Prunus Pissardi, Purple-leaved Plu | | |
| 4 to 5 ft | 6.50 | |
| Pyrus Bechtel's, see Malus | | |
| | | |
| Quercus alba, true White Oak | 4000 | |
| 5 to 6 ft | | |
| 6 to 7 ft | | |
| 7 to 8 ft | | |
| 8 to 9 ft | | |
| " coccinea, Scarlet Oak | | |
| 6 to 7 ft | | 125.00 |
| 7 to 8 ft | | 135.00 |
| 8 to 10 ft | | |
| " imbricaria, Shingle Oak | | |
| 8 to 10 ft | | 150.00 |
| 1¼ to 1½ inch cal | 20.00 | 175.00 |
| 1½ to 1¾ inch cal | | |
| 1¾ to 2 inch cal | 25.00 | |
| " palustris, Pin Oak | | |
| 8 to 10 ft | 10.00 | 90.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ inch cal | | 115.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ inch cal | | 125.00 |
| 1¾ to 2 inch cal | 17.50 | 150.00 |
| 2 to 2½ inch cal | | 175.00 |
| 2½ to 2½ inch cal | | |
| rubia, iteu Oak | | |
| 8 to 10 ft | | 90.00 |
| 10 to 12 ft | 11.50 | 100.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ inch cal $1\frac{1}{2}$ to $1\frac{3}{4}$ inch cal | 12.50 | 115.00 |
| | | 125.00 150.00 |
| $1\frac{3}{4}$ to 2 inch cal 2 to $2\frac{1}{4}$ inch cal | 20.00 | 175.00 |
| $2^{1/4}$ to $2^{1/2}$ inch cal | 20.00 | 119.00 |
| 2½ to 2¾ inch cal | | |
| 2¾ to 3 inch cal | | |
| 3 to 3½ inch cal | | |
| $3\frac{1}{2}$ to 4 inch cal | | |
| | | |

| | | Per 10 | Per 100 |
|--|---|-----------------------|----------------|
| Salisburia adiantifolia (| | idenhair | Tree |
| 6 to 8 ft | | 7.50 | 65.00 |
| 8 to 10 ft | | 10.00 | 90.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in. (| cal | 13.50 | 125.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in. | cal | 16.50 | 150.00 |
| 1¾ to 2 inch c | al | 17.50 | 165.00 |
| 2 to 21/4 inch c | al | 20.00 | 185.00 |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ inch | cal | 22.50 | |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ inch | cal | 25.00 | |
| Sorbus aucuparia. Europ | ean Mountain Ash | | |
| 8 to 10 ft | | 12.50 | |
| Salix pentandra (laurifo | olia) Laurel-leaved | Willow | |
| 8 to 10 ft | • | 7.50 | 65.00 |
| Filia alba argentea (tome | | | |
| | · | | |
| 274 to 272 inch | cal | 27.50 | |
| 2½ to 2¼ inch | cal | 30.00 | |
| 2 to 21/ inch a | alal. | 32.50 | 225 0 |
| | | $\frac{35.00}{40.00}$ | 325.0 350.0 |
| 4 to 5 inch col | al | 45.00 | 350.0 |
| 5 to 6 inch cal | | 50.00 | |
| | | 50.00 | |
| " Americana (Carolii | na) American Line | den, Bass | wood |
| | al | 17.50 | |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ inch | cal | 22.50 | 200.0 |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ inch | n cal | 25.00 | 225.0 |
| 2¾ to 3 inch c | al | 27.50 | 250.00 |
| | al | 30.00 | 275.0 |
| $3\frac{1}{2}$ to 4 inch c | al | 32.50 | |
| " dasystila (euchlora |) Crimean Linden | | |
| 2 to 21/4 inch. | cal | 22.50 | |
| 21/4 to 21/2 inch | cal. | 25.00 | |
| 2½ to 2¾ inch | cal. | 27.50 | |
| 2¾ to 3 inch c | al | 30.00 | |
| 3 to 31/2 inch | cal | 32.50 | |
| 3½ to 4 inch c | al. | 35.00 | |
| 4 to 5 inch cal | | 40.00 | |
| 5 to 6 inch cal | | 45.00 | |
| " Europaea rubra, Eu | ropean Linden | | |
| | al | 32.50 | |
| | al, | 35.00 | |
| 4 to 5 inch ca | l | 40.00 | |
| 5 to 6 inch cal | | 45.00 | |
| | | | |
| plataphyllos, Dioad | | | |
| | cal | 12.50 | |
| 1½ to 1¾ inch | cal | 15.00 | |
| 1% to 2 inch of | calcal. | 17.50 | |
| 2 to 21/4 inch | cal | 20.00 | |
| 2½ to 2¾ incl | a caleal. | 25.00 | |
| 93% to 3 inch o | al | 27.50 | |
| 274 00 0 111011 0 | | | |
| 3 to $3\frac{1}{2}$ inch c | aleal. | 30.00 32.50 | |

| Dresher, Montgomery Co., F | Pa. | 9 |
|---|-----------|---------|
| | Per 10 | Per 100 |
| Ulmus Americana, American Elm | | |
| 2 to 2½ inch cal | 17.50 | |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ inch cal | 20.00 | 175.00 |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ inch cal | 22.50 | |
| 2¾ to 3 inch cal | 25.00 | 225.00 |
| 3 to 3½ inch cal. | 27.50 | |
| Deciduous Shr | ubs | |
| Althaea, see Hibiscus | | |
| Amorpha canescens, Lead Plant | | |
| · | 2.25 | 20.00 |
| 2 to 2½ ft | 2,29 | 20.00 |
| " fruiticosa, False Indigo | , | |
| 2 to 3 ft | 2.25 | 20.00 |
| 5 to 6 ft | 3.00 | |
| Aralia pentaphylla (Acanthopanax) | ` | |
| 2 to 3 ft | 2.00 | 16.00 |
| 3 to 4 ft | 2.25 | 20.00 |
| 4 to 5 ft | 2.75 | 25.00 |
| 6 to 7 ft. very heavy | 4.00 | 35.00 |
| " spinosa, Hercules Club | | |
| 2 to 3 ft | 2.50 | 20.00 |
| 3 to 4 ft | 2.75 | 25.00 |
| 4 to 5 ft | 4.00 | 35.00 |
| Aronia arbutifolia, red Choke-berry | | |
| 2 to 3 ft | 3.50 | 30.07 |
| 3 to 4 ft | 3.75 | 35.00 |
| " melanocarpa (nigra) black Choke-bern | **** | |
| 1½ to 2 ft | 2.25 | 20.00 |
| | 4.40 | 40.00 |
| Berberis aquifolia, see Mahonia | | |
| " Thunbergii, Japanese Barberry | | |
| 12 to 15 in | 1.75 | 16.00 |
| 1½ to 2 ft | 3.25 | 30.00 |
| " vulgaris, green Barberry | | |
| 2 to 3 ft | 2.25 | 20.00 |
| 3 to 4 ft | 2.75 | 25.00 |
| 4 to 5 ft | 3.50 | 30.00 |
| Berberis vulgaris can be sold only in Pen | nsvlvania | |
| | | • |
| Buddleia magnifica, Butterfly Bush | 0.00 | 40.00 |
| 2 to 3 ft | 2.00 | 18.00 |
| Callicarpa purpurea, Beauty-fruit | | |
| 2 to 3 ft | 3.25 | 30.00 |
| Calycanthus floridus, Sweet Shrub | | |
| 44/ 1- 0 4 | 0.05 | 40.00 |

2.25

2.75

18.00

25.00

| | Per 10 | Per 100 |
|--|---------------------|----------------|
| Caragana arborescens, Siberian Pea | | |
| 2 to 3 ft | 2.00 | 18.00 |
| Cephalanthus occidentalis, Dwarf Button-bu | ısh | |
| 2 to 3 ft | 2.25 | 20.00 |
| Cercis canadensis, Judas Tree, Red Bud | | |
| 2 to 3 ft | 2.75 | 25.00 |
| 3 to 4 ft | 3.75 | 35.00 |
| 4 to 5 ft | 5.00 | 45.00 |
| 5 to 6 ft | 6.50 | 60.00 |
| 6 to 7 ft | 10.00 | 85.00 |
| 7 to 8 ft. extra heavy | 15.00 | |
| Clethra alnifolia, Sweet Pepper bush | | |
| 1½ to 2 ft | 2.00 | 18.00 |
| 2 to 3 ft | 2.75 | 25.00 |
| Cornus alba (Siberica) Red-stemmed Dogw | ood | |
| 2 to 3 ft | 2.00 | 18.00 |
| " alternifolia, Blue Dogwood | | |
| 2 to 3 ft | 3.50 | |
| 3 to 4 ft | 4.00 | |
| | 2.00 | |
| norida, white howering bogwood | | |
| 4 to 5 ft | 4.50 | 40.00 |
| 5 to 6 ft | $\frac{5.50}{6.50}$ | 50.00 60.00 |
| 7 to 8 ft | 8.50 | 75.00 |
| 8 to 9 ft | 10.00 | 90.00 |
| 9 to 10 ft | 12.50 | 100.00 |
| " rubra, red flowering Dogwood. | | |
| 3 to 4 ft | 10.00 | 90.00 |
| 7 to 8 ft | 17.50 | 165.00 |
| 8 to 9 ft | 20.00 | 185.0 0 |
| 9 to 10 ft | 25.00 | 225.00 |
| " Mas, Cornelian Cherry | | |
| 5 to 6 ft | 4.00 | 35.00 |
| 6 to 7 ft | 5.00 | 40.00 |
| " paniculata (Canadensis) | | |
| 2 to 3 ft | 2.25 | 20.00 |
| 3 to 4 ft | 2.75^{-} | 25.00 |
| 4 to 5 ft, very heavy | 3.50 | 30.00 |
| 5 to 6 ft. very heavy | 4.00 | 35.00 |
| " sericea (Amomum) Silky Dogwood | | |
| 2 to 3 ft | 1.75 | 15.00 |
| " stolonifera (flaviramea) Yellow-stemn | ned | |
| 2 to 3 ft | 2.25 | 20.00 |
| | 4.43 | 20.00 |
| Corylus avellena, European Hazel | | |
| 2 to 3 ft | 2.75 | 25.00 |

| | Per 10 | Per 100 |
|--|--------------|----------------|
| Crataegus coccinea, Scarlet Thorn | | |
| 2 to 3 ft, | 3.75 | 35.00 |
| 3 to 4 ft | 4.50 | 40.00 |
| 4 to 5 ft | 5.00 | 45.00 |
| 5 to 6 ft | 6.00 | 50.00 |
| 6 to 7 ft | 10.00 | 85.00 |
| 8 to 10 ft., very heavy | 15.00 | 135.00 |
| " cordata, Washington Thorn | | |
| 2 to 3 ft | 3.75 | 35.00 |
| 3 to 4 ft | 5.00 | 40.00 |
| " Mollis | | |
| 2 to 3 ft | 3.75 | 35.00 |
| 3 to 4 ft | 4.50 | 40.00 |
| 4 to 5 ft | 5.00 | 45.00 |
| 5 to 6 ft | 6.00 | 50.00 |
| " oxycantha, English Hawthorn | | |
| 3 to 4 ft | 3.50 | 30.00 |
| 4 to 5 ft | 5.00 | 90.00 |
| | 9. 00 | |
| " oxycantha, double white Hawthorn | | |
| 4 to 5 ft | 10.00 | |
| " oxycantha, Paul's Scarlet | | |
| 4 to 5 ft | 10.00 | |
| | | |
| punctata | 4.50 | 40.00 |
| 3 to 4 ft | 4.50 5.00 | 40.00 45.00 |
| 4 to 5 ft | | |
| Cydonia Japonica (Pyrus Japonica) Japane | | |
| 1½ to 2 ft | 2.25 | 20.00 |
| 2 to 3 ft | 2.75 | 25.00 |
| Daphne cneorum, pink | | |
| 10 to 12 inch, 5-inch pots | 8.50 | 80.00 |
| , | | |
| Deutzia candidissima plena, double white | | 40.00 |
| 2 to 3 ft | 1.75 | 16.00 |
| 3 to 4 ft | 2.25 | 20.00 |
| 4 to 5 ft hoovy | 3.25 | 30.00 |
| 6 to 7 ft. very heavy | 4.00 | 35.00 |
| " crenata rosea plena, double pink | | |
| 2 to 3 ft | 1.75 | 16.00 |
| 3 to 4 ft | 2.25 | 20.00 |
| " Pride of Rochester, double pink | | |
| 2 to 3 ft | 1.75 | 16.00 |
| 3 to 4 ft | 2.25 | 20.00 |
| " gracilis, dwarf, single white | | |
| 15 to 18 inch | 2.25 | 20.00 |
| 1½ to 2 ft | 2.75 | 25.00 |
| | 2 | |
| gracins rosea, uwarr, single pink | 0 | 0= 0= |
| 1½ to 2 ft | 2.75 | 25.00 |
| Deutzia, Continued Page 12 | | |

| 12 Thomas B. Meenan Co. | | |
|--|---------------------|----------------|
| Deutzia, (Cont.) | Per 10 | Per 100 |
| " Lemoinei, dwarf, single white | | |
| 1½ to 2 ft | 2.75 | 25.00 |
| Diervilla sessilifolia (lutea) | | |
| 3 to 4 ft. very heavy | 3.25 | 30.00 |
| " rosea and varieties, see Weigela | | |
| Eleagnus angustifolia, Russian Olive | | |
| 3 to 4 ft | 3.25 | 30.00 |
| " longipes, (edulis) | | |
| 2 to 3 ft | 2.75 | 25.00 |
| 3 to 4 ft | 3.25 | 30.00 |
| Euonymus alatus, Japanese Strawberry bus | sh | |
| 2 to 3 ft | 3.75 | 35.00 |
| 3 to 4 ft | 6.50 | |
| " Europeaus, Strawberry Bush | | 6- 6- |
| 2 to 3 ft | $\frac{2.75}{3.00}$ | 25.00 |
| 4 to 5 ft | 3.50 | |
| " vegetus | | |
| 18 to 24 inch heavy | 3.75 | 35.00 |
| Exochorda grandiflora, Pearl Bush | | |
| 3 to 4 ft | 3.50 | |
| Forsythea Fortunei, Golden Bell | | |
| 2 to 3 ft | 2.00 | 16.00 |
| 3 to 4 ft | 2.25 | 20.00 |
| 4 to 5 ft | 2.75 | 25.00 |
| " Intermedia, Golden Bell | | |
| 3 to 4 ft | $\frac{2.25}{2.75}$ | 20.00 25.00 |
| | 2.10 | 20.00 |
| " suspensa, Weeping Golden Bell 2 to 3 ft | 2.25 | 20.00 |
| 3 to 4 ft | 2.75 | 25.00 |
| 5 to 6 ft. very heavy | 3.50 | |
| " viridissima, Golden Bell | | |
| 2 to 3 ft | 2.00 | 16.00 |
| 3 to 4 ft. 4 to 5 ft. | $\frac{2.25}{2.75}$ | 20.00 25.00 |
| 5 to 6 ft. very heavy | 4.00 | 35.00 |
| Halesia tetraptera, (Carolina) Silver Bell | | |
| 2 to 3 ft | 4.00 | |
| 5 to 6 ft | 7.50 | |
| Hamamelis Virginica, Wych Hazel | | |
| 2 to 3 ft | 3.00 | |
| Hibiscus Ardens, double blue | | |
| 2 to 3 ft | 2.25 | 20.00 |
| Hibiscus, Continued Page 13 | | |

| Hibi | scus, (Cont.) | Per 10 | Per 100 |
|------|--|---------------------|------------------|
| 44 | Boule de Feu, double red | | |
| | 2 to 3 ft | 2.25 | 20.00 |
| | 3 to 4 ft | 2.75 | 25.00 |
| | 4 to 5 ft. very heavy | 3.50 | |
| , | 5 to 6 ft. very heavy | 4.00 | |
| 44 | coelestis, single blue | | |
| | 2 to 3 ft | 2.25 | 20.00 |
| | 3 to 4 ft | 2.75 | 25.00 |
| 44 | Duc de Brabant, double red | | |
| | 2 to 3 ft | 2.25 | 20.00 |
| | 4 to 5 ft. very heavy | 3.50 | |
| | 5 to 6 ft. very heavy | 4.00 | |
| 44 | Jean d'Arc, double white | | |
| | 2 to 3 ft | 2.25 | 20.00 |
| | 3 to 4 ft | 2.75 | 25.00 |
| 66 | Lady Stanley, double pink | | |
| | 2 to 3 ft | 2.25 | 20.00 |
| 44 | | | |
| | paeonaeflora, double pink | 2.05 | 00.00 |
| | 2 to 3 ft | 2.25 | 20.00 |
| 44 | purpurea semi-plena, semi-double, pur | rple | |
| | 1½ to 2 ft | 1.75 | 15.00 |
| | 2 to 3 ft | 2.25 | 20.00 |
| 66 | Snowdrift, single white | | |
| | 2 to 3 ft | 2.25 | 20.00 |
| 66 | totus albus, single white | | |
| | | 0.05 | 00.00 |
| | 1½ to 2 ft | $\frac{2.25}{2.75}$ | $20.00 \\ 25.00$ |
| | | | 20.00 |
| Hyd | rangea arborescens grandiflora, "Hills | of Snow" | |
| | 1½ to 2 ft | 2.75 | 25.00 |
| | 2 to 3 ft | 3.75 | 35.00 |
| | 3 to 4 ft | 4.25 | 40.00 |
| 46 | paniculata (type) single, Late flowering | ng | |
| | 2 to 3 ft | 3.25 | 30.0 0 |
| | 3 to 4 ft | 3.75 | 35.00 |
| | 6 to 7 ft. very heavy | 6.00 | 55.00 |
| 44 | paniculata acuminata (type) early flo | wering | |
| | 3 to 4 ft | 3.75 | 35.00 |
| | 4 to 5 ft | 4.25 | 40.00 |
| 66 | paniculata grandiflora | | |
| | 1 to 1½ ft | 1.75 | 15.00 |
| | 1½ to 2 ft | $\frac{1.75}{2.75}$ | 25.00 |
| | 2 to 3 ft | 3.75 | 35.00 |
| | 3 to 4 ft | | 45.00 |
| 66 | paniculata grandiflora, TREE FORM | | |
| | 3 to 4 ft | 7.50 | |
| | | 1.50 | |
| Hyd | rangea, Continued Page 14 | | |
| | | | |

| Hydrangea, (Cont.) | Par 10 | Per 10) |
|--|-------------|---------|
| " quercifolia, Oak-leaved Hydrangea | 1 01 10 | |
| 2 to 3 ft | 6.00 | |
| Hypericum aureum, St. John's Wort | | |
| 2 to 2½ ft | 2.75 | 25.00 |
| Hex verticillata (Prinos) Winterberry | | |
| 2 to 3 ft | 2.75 | 25.00 |
| 3 to 4 ft | 3.25 | 30.00 |
| Itea Virginica, Virginian Willow | | |
| 1½ ft | 2.25 | 20.00 |
| Ligustrum amurense, North, Hardy Amoor | | |
| 1½ to 2 ft. 2 to 3 stems \$60.00 per 1000 | .85 | 7.00 |
| 2 to 3 ft. 3 to 5 stems | 1.25 | 10.00 |
| \$75.00 per 1000 | 1.75 | 15.00 |
| 3 to 4 ft. heavy \$125.00 per 1000 | 1.19 | 15.00 |
| " Ibota | | |
| 2 to 3 ft | 2.00 | 18.00 |
| 3 to 4 ft | 2.25 | 20.00 |
| " Regelianum, Regel's Privet | | |
| 2 to 2½ ft | 2.75 | 25.00 |
| " ovalifolium, California Privet | | |
| $1\frac{1}{2}$ to 2 ft., \$28.00 per 1000 2 to 3 ft., heavy transplanted | .50 1.00 | 3.00 |
| \$60.00 per 1000 | 1.00 | 7.00 |
| 3 to 4 ft., heavy transplanted | 1.25 | 10.00 |
| \$80.00 per 1000 4 to 5 ft., heavy transplanted | 1.50 | 12.00 |
| \$100.00 per 1000 | 2.50 | |
| " vulgare, Common Privet | | |
| 2 to 3 ft | 1.75 | 15.00 |
| 3 to 4 ft | 2.00 | 18.00 |
| Lindera Benzoin, Spice bush | | |
| 2 to 3 ft | 3.25 | 30.00 |
| Lonicera Bella candida, Bush Honeysuckle | | 00.00 |
| 3 to 4 ft | 2.25 | 20.00 |
| " fragrantissima, fragrant Bush Honeys 2 to 3 ft | 2.75 | 25.09 |
| 3 to 4 ft | 3.25 | 30.00 |
| " Morrowi, red-berried | | |
| 2 to 3 ft | 2.25 | 20.00 |
| 6 to 7 ft. very heavy | 5.00 | 40.00 |
| " Ruprechtiana, red-berried | | |
| 2 to 3 ft | 2.25 | 20.00 |
| Lonicera, Continued Page 15 | | |
| | | |

| 2.00.101, 1.10111go.1.11, 1 | | |
|--|---------------------|----------------|
| Lonicera, (Cont.) | Per 10 | Per 100 |
| " Tatarica alba, white Bush Honeysuckle | е | |
| 3 to 4 ft | 2.25 | 20.00 |
| 4 to 5 ft | 3.50 | 30.00 |
| " Tatarica rubra, red Bush Honeysuckle | | |
| 2 to 3 ft | 2.25 | 20.00 |
| 3 to 4 ft | 2.50 | 22.00 |
| " Tatarica grandiflora rosea, pink | | |
| 2 to 3 ft | 2.00 | 18.00 |
| Mahonia aquifolia, Oregon Grape | | |
| 1 to 1½ ft | 2.75 | 25.00 |
| 1½ to 2 ft | 3.50 | |
| Mahonia cannot be shipped out of Penns | ylvania. | |
| Malus loensis, Bechtel's double flowering | | |
| 3 to 4 ft | 8.50 | |
| 4 to 5 ft | 10.00 | |
| 5 to 6 ft | 12.50 | |
| Myrica cerifera, Wax Myrtle | | |
| 1½ to 2 ft | 2.75 | 25.00 |
| Opulaster, see Spiraea opulifolia | | |
| Philadelphus Avalanche, dwarf, single whit | е | |
| 2 to 2½ ft | 2.75 | 25.00 |
| " coronarius, Sweet flowered Mock Ora | nge | |
| 2 to 3 ft | 2.25 | 20.00 |
| 3 to 4 ft | 2.50 | 22.00 |
| 4 to 5 ft | $\frac{2.75}{5.00}$ | 25.00 40.00 |
| | | 40.00 |
| " grandiflorus, Large-flowered Mock Oran | | 4000 |
| 2 to 3 ft | $\frac{2.00}{2.50}$ | 18.00 22.00 |
| 3 to 4 ft | $\frac{2.30}{2.75}$ | 25.00 |
| " Lemoinei, white | | |
| 1 to 1½ ft | 1.75 | |
| | 2 | |
| Physocarpus, see Spiraea opulifolia | | |
| Potentilla fruticosa, Cinquefoil | | |
| 1½ to 2 ft | 2.25 | 20.00 |
| Prunus Pissardi, Purple-leaved Plum | | |
| 4 to 5 ft | 6.50 | |
| Pyrus arbutifolia and melanocarpa, see Arc | onia | |
| Rhamnus catharticus, Buckthorn | | |
| 1½ to 2 ft | 1.00 | 8.00 |
| 2 to 3 ft | 1.35 | 12.00 |
| Rhodotypos kerroides, White Kerria | | |
| 2 to 3 ft | 2.25 | 20.00 |
| | | |

| | Per 10 | Per 100 |
|---|---------------------|----------|
| Rhus aromatica (canadensis) | | |
| 2 to 3 ft | 3.25 | 30.00 |
| 3 to 4 ft | 3.50 | |
| " copallina, Shining Sumach | | |
| 2 to 3 ft | 2.25 | 20.00 |
| 3 to 4 ft | 2.75 | 25.00 |
| 4 to 5 ft | 3.50 | 30.00 |
| " Cotinus, Smoke bush, Purple Fringe | | |
| 2 to 3 ft | 3.00 | |
| 3 to 4 ft | 3.50 | |
| 4 to 5 ft | 4.00 | |
| 5 to 6 ft | 5.00 | |
| 8 to 9 ft. very heavy | 10.00 | |
| " glabra, smooth Sumach | 10.00 | |
| 2 to 3 ft | 1.75 | 15.00 |
| 3 to 4 ft | 2.25 | 20.00 |
| | | _0.00 |
| " glabra laciniata, cut-leaved Sumach | | |
| 2 to 3 ft | 3.50 | |
| " typhina (hirta) staghorn Sumach | | |
| cypinna (inita), stagnorn Sumach | | |
| 3 to 4 ft | 1.75 | 15.00 |
| 6 to 7 ft | 3.50 | 30.00 |
| " typhina laciniata, fern-leaved Sumach | | |
| 2 to 3 ft | 2.00 | |
| 5 to 6 ft | 3.50 | |
| 6 to 7 ft | 5.00 | |
| | | |
| Rosa multiflora Japonica, single white flow | vers, in (| clusters |
| 2 to 3 ft | 2.00 | 18.00 |
| 3 to 4 ft | 2.50 | 22.00 |
| " rugosa rubra, Japanese Rose, red | | |
| | 2.50 | 20.00 |
| 1½ to 2 ft | $\frac{2.30}{2.75}$ | 25.00 |
| 2 to 3 ft | 2.13 | 25.00 |
| " rugosa alba, white | | |
| 2 to 3 ft | 3.75 | 35.00 |
| | | |
| setigera, Trailie Itose | | |
| 2 to 3 ft | 2.25 | 20.00 |
| " Wichuraiana, Memorial Rose, white | | |
| 2 to 3 ft | 2.00 | 18.00 |
| 3 to 4 ft | 2.25 | |
| | | 20.00 |
| Sambucus canadensis, American Elderberry | | |
| 3 to 4 ft | 2.50 | 22.00 |
| 4 to 5 ft | 2.75 | 25.00 |
| " canadensis aurea, Golden Elderberry | | |
| 2 to 3 ft | 2.50 | 22.00 |
| 3 to 4 ft | 2.75 | 25.00 |
| | | |
| racemosus maxima | | |
| 4 to 6 ft | 3.50 | 30.00 |

| | , , | | |
|------|--|---------------------|------------------|
| | | Per 10 | Per 100 |
| Sorb | aria sorbifolia, see Spiraea sorbifolia | | |
| Spir | aea Anthony Waterer, pink, dwarf | | |
| | 12 to 15 in | 2.25 | 20,00 |
| | 1½ to 2 ft | 3.50 | 32.00 |
| 44 | Billardi, pink | | |
| | 2 to 3 ft | 2.00 | 18.00 |
| | 3 to 4 ft | | 22.00 |
| | 4 to 5 ft | $\frac{2.75}{3.25}$ | $25.00 \\ 30.00$ |
| - 66 | | 0.20 | 50.00 |
| | bumalda, dwarf, light pink | . 0.00 | |
| | 1½ to 2 ft | 3.00 | |
| 66 | callosa alba, dwarf white | | |
| | 15 to 18 in | 2.25 | 20.09 |
| | 1½ to 2 ft | $\frac{2.75}{3.25}$ | 25.00 30.00 |
| 44 | ' - | 0.20 | 50.00 |
| | callosa rosea, (Japonica) pink 3 to 4 ft | 2.50 | 22,00 |
| 66 | | | 22.00 |
| | opulifolia (Physocarpus Opulaster) N | | 15.00 |
| | 2 to 3 ft | $\frac{1.75}{2.25}$ | 15.00 20.00 |
| | 4 to 5 ft | $\frac{2.25}{2.75}$ | 25.00 |
| | 5 to 6 ft | 3.25 | 30.00 |
| | 6 to 7 ft | 3.75 | 35.00 |
| 66 | aurea, golden leaved | | |
| | 2 to 3 ft | 1.75 | 16.00 |
| | 3 to 4 ft | 2.25 | 20.00 |
| | 4 to 5 ft | 2.75 | 25.0 0 |
| 44 | prunifolia, fl. pl. Bridal Wreath | | |
| | 2 to 3 ft | 3.25 | 30.00 |
| | 3 to 4 ft | 3.75 | 35.00 |
| 44 | sorbifolia, Ash-leaved, white | | |
| | 2 to 3 ft | 2.75 | 25.00 |
| 44 | Thunbergii, white | | |
| | 1½ to 2 ft | 2.75 | 25.00 |
| | 2 to 2½ ft | 3.00 | |
| 66 | Van Houttei, single white | | |
| | 1½ to 2 ft | 1.00 | 8.00 |
| | 2 to 3 ft | 1.75 | 15.00 |
| | 3 to 4 ft | 2.25 | 20.00 |
| | 4 to 5 ft | 2.75 | 25.00 |
| Step | hanandra flexuosa | | |
| | 2 to 3 ft | 2.75 | 25.00 |
| | 3 to 4 ft | 3.25 | 30.00 |
| Styr | ax Japonica | | |
| | 2 to 3 ft | 3.25 | 30.00 |
| | 3 to 4 ft | 4.25 | 40.00 |
| | 4 to 5 ft | 5.25 | 50.00 |
| | | | |

| P | er 10 | Per 100 |
|--|---------------------|-----------------------|
| Symphoricarpos racemosus, white Snowberry, | | |
| 2 to 3 ft | 2.50 | 22.00 |
| " vulgaris, Indian Currant, Coral Berry | | |
| 2 to 3 ft | 2.00 | 18.00 |
| 3 to 4 ft | 2.50 | 22.00 |
| Syringa Rothomagensis (chinensis) Red Per | 2.75 | 25.00 |
| 3 to 4 ft | 3.25 | 30.00 |
| " vulgaris, common purple | | |
| 2 to 3 ft | . 2.25 | 20.00 |
| 3 to 4 ft | 2.75 | 25.00 |
| " vulgaris alba, common white lilac | | |
| 2 to 3 ft | 2.25 | 20.00 |
| 3 to 4 ft | $\frac{2.75}{3.25}$ | $\frac{25.00}{30.00}$ |
| 5 to 5½ ft | $\frac{3.25}{3.75}$ | 35.00 |
| Tamarix amurense, Amoor Tamarisk, very ha | | |
| 2 to 3 ft | 2.00 | 18.00 |
| 3 to 4 ft | 2.25 | 20.00 |
| " gallica, light pink, early | | |
| 5 to 6 ft | 3.25 | 30.00 |
| Vaccinium corymbosum, Huckleberries | | |
| 1½ to 2 ft | 6.00 | 50.00 |
| 2 to 3 ft | 7.00 | 60.00 |
| Viburnum dentatum, Arrow-wood | | |
| 2 to 3 ft | 2.75 | 25.00 |
| 3 to 4 ft | $3.25 \\ 3.75$ | 30.00 35.00 |
| " molle | 0.10 | 39.00 |
| 3 to 4 ft. heavy | 3.75 | 35.00 |
| " cassinoides | 0.10 | 99.00 |
| 2 to 3 ft | 3.50 | |
| | 3.50 | |
| " lantana, Hobble-bush, Wayfaring tree 2 to 3 ft | 3.00 | 28.00 |
| 3 to 4 ft | 3.25 | 30.00 |
| 4 to 5 ft | 3.75 | 35.00 |
| " lentago, Sheep-berry | | |
| 2 to 3 ft | 2.75 | 25.00 |
| 3 to 4 ft | 3.25 | 30.00 |
| 4 to 5 ft | $\frac{3.75}{4.25}$ | 35.00 40.09 |
| 5 to 6 ft | 4.20 | 40.09 |
| 2 to 3 ft | 2.75 | 25.00 |
| 3 to 4 ft | 3.25 | 30.00 |
| " oxycoccos (opulus) High-bush Cranberry | | |
| 2 to 3 ft | 2.75 | 25.00 |
| 3 to 4 ft | 3.25 | 30.00 |
| Viburnum, Continued Page •19 | | |

| Dresher, Montgomery Co., F | 'a. | 19 |
|---|------------------------------|----------------------------------|
| Viburnum, (Cont.) | Per 10 | Per 100 |
| " plicatum, Japanese Snowball | | |
| 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. | 3.25 4.25 5.25 | 30.00 40.00 50.00 |
| " tomentosum | | |
| 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. very heavy | 2.75 3.25 3.75 5.25 | 25.00 30.00 35.00 50.00 |
| Weigela amabilis, pink | | |
| 3 to 4 ft | 3.25 | 30.00 |
| " Eva Rathke, crimson | | |
| 1½ to 2 ft | $\frac{3.25}{4.25}$ | $\frac{30.00}{40.00}$ |
| " floribunda, dark red | | |
| 2 to 3 ft | 3.25 | 30.00 |
| " nana variegata, Variegated-leaved 2 to 2½ ft | 3.25 | 30.00 |
| " rosea, pink | | |
| 2 to 3 ft | $2.75 \\ 3.25$ | $25.00 \\ 30.00$ |
| " sessilifolia, yellow | | |
| 3 to 4 ft. very heavy | 3.25 | 30.00 |
| Yucca filamentosa, Adam's Needle | | |
| 3 years | $\frac{2.25}{3.25}$ | 20.00 30.00 |
| | | |

Vines and Climbers

| Ampelopsis quinquefolia Englemannii, Woodb | ine | |
|---|----------------|-------|
| 1½ to 2 ft. strong | 1.35 | 12.00 |
| " Veitchii (tricuspidata) Japanese or Bost 2 year strong | on Ivy 1.75 | 16.00 |
| Bignonia radicans (Tecoma) Trumpet Vine, O | range | |
| 2 year strong | 1.75 | 15.00 |
| Celastrus orbiculatus, Japanese Bittersweet | | |
| 2 to 3 ft | 2.25 | 20.00 |
| Clematis paniculata, white | | |
| 2 year | 1.75 | 15.00 |
| " Virginiana, Virgin's Bower | | |
| 2 year | 1.75 | 15.00 |
| Euonymus vegetus | | |
| $1\frac{1}{2}$ to 2 ft. heavy | 3.75 | 35.00 |

| | Per 10 | Per 100 | |
|--|--------|---------|--|
| Lonicera Halleana, Hall's Honeysuckle | | | |
| 2 year heavy | 1.75 | 15.00 | |
| Lycium barbarum, Matrimony vine | | | |
| 2 to 3 ft | 1.75 | 15.00 | |
| Rosa Wichuraiana, Memorial rose, white | | | |
| 2 to 3 ft | 2.00 | 18.00 | |
| 3 to 4 ft | 2.25 | | |

Evergreens

In comparing the prices of our evergreens with those of other nurseries keep in mind that our plants are frequently transplanted in order to secure a good fibrous root system, they are sheared from time to time as needed, consequently they are all bushy, well formed plants.

All of our evergreens are balled and burlapped at the prices quoted and the burlap is sewed on, not just tied with rope.

| Abie | es see also Picea | |
|------|-------------------------------------|-------|
| 66 | brachyphylla | |
| | 8 to 9 ft | 80.00 |
| | 9 to 10 ft | 90.00 |
| 66 | canadensis, see Tsuga canadensis | |
| 44 | concolor, see Picea | |
| 44 | Frazeri | |
| | 3½ to 4 ft | 40.00 |
| | 4 to 4½ ft | 45.00 |
| | $4\frac{1}{2}$ to $\overline{5}$ ft | 50.00 |
| | 5 to 5½ ft | 55.00 |
| 66 | Hudsonica coerulea | |
| | 5 to 5½ ft | 55.00 |
| | 5½ to 6 ft | 60.00 |
| 66 | Nordmanniana, Nordman's Silver Fir | |
| | 4 to 4½ ft | 45.00 |
| | 4½ to 5 ft | 50.00 |
| | 5 to 5½ ft | 55.00 |
| 44 | Orientalis, see Picea | |
| 66 | Veitchii, Japanese Fir | |
| | 2 to 2½ ft | 20.00 |
| | 2½ to 3 ft | 25.00 |
| | 3 to 3½ ft | 30.00 |
| | 3½ to 4 ft | 35.00 |
| | 4 to 4½ ft | 40.00 |
| | 4½ to 5 ft | 45.00 |
| | 5 to 5½ ft | 50.00 |
| | 6 to 7 ft | 60.00 |
| | 7 to 8 ft | 65.00 |
| | 8 to 9 ft | 70.00 |
| | 10 to 12 ft | 80.00 |

| Biota Orientalis, Chinese Arbor Vitae | Per 10 | Per 100 |
|--|--------|---------|
| 2 to 2½ ft | 17.50 | |
| 2½ to 3 ft | 20.00 | |
| 3 to 3½ ft | 22.50 | |
| 3½ to 4 ft | 25.00 | |
| 4 to 4½ ft | 27.50 | |
| 4½ to 5 ft | 30.00 | |
| 5 to 5½ ft | 32.50 | |
| 5½ to 6 ft | 35.00 | |
| 6 to 7 ft. specimens | 90.00 | |
| 7 to 8 ft. specimens | 100.00 | |
| " Orientalis aurea nana, Dwarf Golden | | |
| 1 to 1½ ft | 15.00 | |
| 1½ to 2 ft | 17.50 | |
| 2 to 2½ ft | 20.00 | |
| " Orientalis aurea conspicua, Golden Chi | nese | |
| 2 to 2½ ft | 25.00 | |
| 2½ to 3 ft. | 27.50 | |
| 3 to 3½ ft | 30.00 | |
| 3½ to 4 ft | 35.00 | |
| 4 to 4½ ft | 40.00 | • |
| 5½ to 6 ft | 55.00 | |
| 6 to 7 ft | 60.00 | |
| 7 to 8 ft | 65.00 | |
| | | |
| " Orientalis semperaurescens, Golden Cl | ninese | |
| 3½ to 4 ft | 35.00 | |
| 4 to 4½ ft | 40.00 | |
| " Orientalis, Rolliston's Golden | | |
| Officination, Itolinston's dolucin | | |
| 1½ to 2 ft | 20.00 | |
| For varieties of Thuya occidentalis, see | Thuya | |
| Buxus arborescens, Bush form. | | |
| 1 to 1½ ft | 8.50 | |
| 1½ to 2 ft | 25.00 | |
| 2 to 2½ ft | 30.00 | |
| Cypressus Lawsoniana, Lawsons Cypress | | |
| 3 to 3½ ft | 25.00 | |
| 3½ to 4 ft | 30.00 | |
| | 50.00 | |
| Daphne cneorum | | |
| 10 to 12 in., 5-inch pots | 8.50 | 75.00 |
| Euonymus vegetus | | |
| 1½ to 2 ft. heavy | 3.75 | 35.00 |
| | 0.10 | 90.00 |
| llex crenata, Japanese Holly | 40.50 | |
| 1 to 1½ ft | 12.50 | |
| 1½ to 2 ft | 17.50 | |
| 2 to 2½ ft | 20.00 | |
| Juniperus Canadensis, Canadian Juniper | | |
| 2 to 2½ ft | 25.00 | |
| 2½ to 3 ft | 27.50 | |
| 3 to 3½ ft | 30.00 | |
| | | |
| Juniperus, Continued Page 22 | | |

| Juniperus, (Cont.) | Per 10 | Per 100 |
|---|------------|-------------|
| " chinensis, Chinese Juniper | | |
| 4½ to 5 ft | 50.00 | |
| 5 to 5½ ft | 55.00 | |
| 5½ to 6 ft | 60.00 | |
| 6 to 7 ft | 65.00 | |
| " chinensis argentea variegata, Variegat | ed Chines | a Tuninar |
| 2 to 2½ ft | 27.50 | e a antiber |
| 2½ to 3 ft | 30.00 | |
| 3 to 3½ ft | 35.00 | |
| 3½ to 4 ft | 40.00 | |
| 4 to 4½ ft | 45.00 | |
| • | 10.00 | |
| " chinensis Neaboriensis | | |
| 3 to 3½ ft | 35.00 | |
| 4 to 4½ ft | 40.00 | |
| 5 to 5½ ft | 50.00 | |
| " Pfitzeriana | | |
| 2 to 2½ ft | 40.00 | |
| 2½ to 3 ft | 45.00 | |
| 3 to 3½ ft | 50.00 | |
| $3\frac{1}{2}$ ft. x $3\frac{1}{2}$ ft. heavy specimens | 100.00 | |
| | ,00.00 | |
| " Reevesiana | | * |
| 3½ to 4 ft | 40.00 | |
| 5½ to 6 ft | 50.00 | |
| 6 to 7 ft | 55.00 | |
| " communis, Common Juniper | | |
| 1½ to 2 ft | 20.00 | |
| 2 to 2½ ft | 22.50 | |
| ·- | | |
| communis aurea, doiden spreading su | | |
| 1½ to 2 ft. broad | 25.00 | |
| 2 to 2½ ft. broad | 27.50 | |
| " communis depressa, New England Sav | in Juniper | |
| 2 to 2½ ft. broad | 27.50 | |
| 2½ to 3 ft. broad | 30.00 | |
| | | |
| communis excessa, i yramidai English | | |
| 2 to 2½ ft | 20.00 | |
| 2½ to 3 ft | 25.00 | |
| 3 to 3½ ft | 30.00 | |
| 3½ to 4 ft | 35.00 | |
| 4 to 4½ ft | 40.00 | |
| 4½ to 5 ft | 45.00 | |
| " communis excelsa stricta | | |
| 1½ to 2 ft | 20.00 | |
| 2 to 2½ ft | 25.00 | |
| 2½ to 3 ft | 30.00 | |
| 3 to 3½ ft | 35.00 | |
| 3½ to 4 ft | 40.00 | |
| · · · · · · · · · · · · · · · · · · · | 10.00 | |
| Juniperus, Continued Page 23 | | |

| | 2 roomer, meningenier, con, r | w. | |
|------|--|------------------|---------|
| Juni | perus, (Cont.) | Per 10 | Per 100 |
| 66 | Hibernica, Irish Juniper | | |
| | 2 to 2½ ft | 7.50 | |
| | 2½ to 3 ft. | 10.00 | |
| | 3 to 3½ ft | 15.00 | |
| | 3½ to 4 ft | 20.00 | |
| | 4 to 4½ ft | 25.00 | |
| | 4½ to 5 ft | 30.00 | |
| 44 | Japonica aurea, Golden Japanese | | |
| | 1½ to 2 ft | 27.50 | |
| 44 | Sabina tamaricifolia, Creeping Juniper | • | |
| | 1½ to 2 ft | 27.50 | |
| | 2 to 2½ ft | 30.00 | |
| " | Virginiana, Red Cedar | | |
| | 3 to 3½ ft | 20.00 | |
| | 3½ to 4 ft | 25.00 | |
| | 4 to 4½ ft | 27.50 | |
| | 4½ to 5 ft | 30.00 | |
| | 5 to 5½ ft | 32.50 | |
| | 5½ to 6 ft | 35.00 | |
| | 6 to 7 ft | 37.50 | |
| 44 | Virginiana Cannarti | | |
| | 5½ to 6 ft | 60.00 | |
| | 6 to 7 ft | 65.00 | |
| | 7 to 8 ft | 70.00 | |
| 44 | Virginiana glauca, Blue Red Cedar | | |
| | 5 to 5½ ft | 50.00 | |
| | 5½ to 6 ft | 55.00 | |
| | 6 to 7 ft | 60.00 | |
| | 7 to 8 ft | 65.00 | |
| | 8 to 9 ft | 70.00 | |
| 44 | Virginiana globosa, Globe Red Cedar | | |
| | 2 to 2½ ft | 30.00 | |
| 66 | Virginiana Schoetti | | |
| | | 60.00 | |
| | 5½ to 6 ft | $60.00 \\ 65.00$ | |
| | | 05.00 | |
| 44 | Virginiana tripartita | | |
| | 2½ to 3 ft | 35.00 | |
| Mah | nonia aquifolia (Berberis aquifolia), Or | egon Gran | е |
| | 1 to 1½ ft | 2.75 | 25.00 |
| | 1½ to 2 ft | 3.50 | |
| Pice | ea, see also Abies | | |
| 66 | concolor Colorado Silver Spruce | | |
| | 3½ to 4 ft | 55.00 | |
| | 4 to 4½ ft | 60.00 | |
| | 4½ to 5 ft | 65.00 | |
| | 5 to 5½ ft | 70.00 | |
| Pice | ea, Continued Page 24 | | |
| | • | | |

| Thomas B, Meenan Co. | | |
|-------------------------------------|-----------------------|---------|
| Picea, (Cont.) | Per 10 | Per 100 |
| " excelsa, Norway Spruce | | |
| 1½ to 2 ft | 7.50 | |
| 2 to 2½ ft | 10.00 | |
| 2½ to 3 ft | 12.50 | |
| 3 to 3½ ft | 15.00 | |
| 3½ to 4 ft | 17.50 | |
| 5 to 5½ ft | $\frac{25.00}{30.00}$ | |
| 6 to 7 ft | 35.00 | |
| 7 to 8 ft | 40.00 | |
| 8 to 10 ft | 50.00 | |
| 10 to 12 ft | 100.00 | |
| 12 to 14 ft | 125.00 | |
| 14 to 16 ft | 150.00 | |
| " Nordmanniana, see Abies | | |
| " Orientalis, Oriental Spruce | | |
| 9 to 10 ft | 125.00 | |
| 10 to 12 ft | 150.00 | |
| | | |
| " Kosteri, Koster's Blue Spruce | | |
| 2 to 2½ ft | 65.00 | |
| 2½ to 3 ft | 75.00 | |
| 3½ to 4 ft | 80.00 90.00 | |
| 572 to 1 it | 30.00 | |
| Pinus Austriaca, Austrian Pine | | |
| 2 to 2½ ft | 25.00 | |
| 2½ to 3 ft | 30.00 | |
| 4 to 4½ ft | 40.00 | |
| 4½ to 5 ft | 45.00 50.00 | |
| 5½ to 6 ft | 55.00 | |
| 6 to 7 ft | 60.00 | |
| " excelsa, Bhotan or Himalayan Pine | | |
| 6 to 7 ft | 60.00 | |
| 7 to 8 ft | 70.00 | |
| | | |
| magnas, Dwarr mountain 1 mc | 45.00 | |
| 1 to 1½ ft. broad | 15.00 | |
| 1½ to 2 ft. broad | 20.00 | |
| " strobus, White Pine | | |
| 8 to 9 ft | 60.00 | |
| 10 to 12 ft | 90.00 | |
| 12 to 14 ft | 100.00 | |
| 14 to 16 ft | 125.00 | |
| " resinosa, Red Pine | | |
| 5½ to 6 ft | 40.00 | |
| 6 to 7 ft | 50.00 | |
| " eviveetrie Scotch Pina | | |
| sylvestils, besten Time | 15.50 | |
| 2 to 2½ ft | 17.50 | |

| | , | Per 10 | Per 100 |
|------|---|---------------|---------|
| Reti | nispora filifera, Thread-leaved Cypress | | |
| | | 25.00 | |
| | 2 to 2½ ft | | |
| | 2½ to 3 ft | 27.50 | |
| | 3 to 3½ ft | 30.00 | |
| | 3½ to 4 ft | 35.00 | |
| 66 | filifera aurea, Golden Thread-leaved | Cypress | |
| | ' ' | | |
| | 1 to 1½ ft | 20.00 | |
| | 1½ to 2 ft | 25.00 | |
| | 5½ to 6 ft | 60.00 | |
| " | obtusa, Hinoki Cypress | | |
| | 2½ to 3 ft | 30.00 | |
| | 3½ to 4 ft | 40.00 | |
| | 4 to 4½ ft | 45.00 | |
| | 4½ to 5 ft | 50.00 | |
| | 5 to 5½ ft | 55.00 | |
| | 5½ to 6 ft | 60.00 | |
| | 072 to 0 ft, | 00.00 | |
| 66 | obtusa compacta, Dwarf Hinoki Cypres | ss | |
| | 2 ft | 20.00 | |
| 44 | obtusa gracilis, Graceful Hinoki Cypre | ess | |
| | | | |
| | 2 to 2½ ft | 25.00 | |
| | 2½ to 3 ft | 30.00 | |
| | 3 to 3½ ft | 35.00 | |
| | 3½ to 4 ft | 40 .00 | |
| | 4 to 4½ ft | 45.00 | |
| 44 | pisifera, Pea-fruited Cypress | | |
| | 2½ to 3 ft | 27.50 | |
| | 3 to 3½ ft | 30.00 | |
| | | | |
| | 3½ to 4 ft | 35.00 | |
| | 4½ to 5 ft | 45.00 | |
| | 5 to 5½ ft | 50.00 | |
| 44 | pisifera aurea, Golden Pea-fruited Cypr | ess | |
| | 2 to 2½ ft | 25.00 | |
| | 3 to 3½ ft | 30.00 | |
| | 3½ to 4 ft | 35.00 | |
| | 4 to 4½ ft | 40.00 | |
| | 4½ to 5 ft | 45.00 | |
| | 6 to 7 ft | 70.00 | |
| | | | |
| 44 | plumosa, Plume-like Cypress | | |
| | 2 to 2½ ft | 25.00 | |
| | 2½ to 3 ft | 27.50 | |
| | 3 to 3½ ft | 30.00 | |
| | 3½ to 4 ft | 35.00 | |
| | 4 to 4½ ft | 40.00 | |
| | 4½ to 5 ft | 45.00 | |
| | 5 to 5½ ft | 50.00 | |
| | | | |

| Reti | nispora, (Cont.) | Per 10 | Per 100 |
|------|---|------------------|----------------|
| 44 | plumosa aurea, Golden Plume Cypress | | |
| | 2 to 2½ ft | 25.00 | |
| | 2½ to 3 ft | 27.50 | |
| | 3 to 3½ ft | 30.00 | |
| | $3\frac{1}{2}$ to 4 ft | 35.00 | |
| | 6 to 7 ft. specimens | 100.00 | |
| 44 | plumosa sulphurea | | |
| | 1 to 1½ ft | 17.50 | |
| | 1½ to 2 ft | 20.00 | |
| 44 | squarrosa veitchii, Silver Plume Cypres | S | |
| | 2 to 2½ ft | 25.00 | |
| | 2½ to 3 ft | 27.50 | |
| | 3 to 3½ ft | 30.00 | |
| | 3½ to 4 ft | 35.00 | |
| | 4 to 4½ ft | 40.00 | |
| | 5 to 5½ ft. specimen | 85.00 | |
| | 5½ to 6 ft. specimen | 90.00 | |
| | 6 to 7 ft. specimen | 100.00 | |
| | 7 to 8 ft. specimen | 125.00 | |
| 66 | | | |
| | squarrosa sulphurea | 05.50 | |
| | 2 to 2½ ft | 27.50 | |
| | 2½ to 3 ft | 30.00 | |
| Гахі | us Canadensis, Canadian spreading Yew | | |
| | 2 to 2½ ft. broad | 30.00 | |
| 46 | cuspidata capitata, Japanese Yew | | |
| | 3 to 3½ ft | 37.50 | |
| | 21/2 to 1/2 ft | 40.00 | |
| | 3½ to 4 ft | 45.00 | |
| | 4 to 4½ ft | 40.00 | |
| 44 | cuspidata brevifolia | | |
| | 1½ to 2 ft | 25.00 | |
| | 2 to 2½ ft | 30.00 | |
| | 2½ to 3 ft | 35.00 | |
| 44 | polycarpa | | |
| | 3 to 3½ ft | 37.50 | |
| | 0 to 0 /2 it | 01.00 | |
| 46 | repanda, Dwarf Yew | | |
| | 2 to 2½ ft. broad | 35.00 | |
| 44 | occidentalis, American Arbor Vitae | | |
| | · | 1950 | 100.0 |
| | 2 to 2½ ft | 12.50 | |
| | 2½ to 3 ft | 15.00 | 125.0 |
| | 3 to 3½ ft | 17.50 | 150.0 |
| | 3½ to 4 ft | $22.50 \\ 25.00$ | 200.0 225.0 |
| | 4 to 4½ ft | | |
| | 4½ to 5 ft | 27.50 | 250.0 |
| | 5 to 5½ ft | 30.00 | 275.0 |
| | 5½ to 6 ft | 32.50 | |
| | 6 to 7 ft | 35.00 | |
| | 7 to 8 ft | 37.50 | |
| | 7 to 8 ft. heavy specimens | 90.00 | |
| | to o it, heavy specimens | 90.00 | |

Taxus occidentalis, American Arbor Vitae, Cont. Page 27

| Thuya | (Cont.) | | Per 10 | Per 100 |
|-------|-------------------------|-------------|-----------|---------|
| 44 | occidentalis, American | Arbor Vitae | , (Cont.) | |
| | 8 to 9 ft. heavy specim | | | |
| | 9 to 10 ft., heavy spe | cimens | 125.00 | |

These heavy specimen American Arbor Vitaes were transplanted three years ago, and carry a large ball of earth. They were closely sheared and are now very compact plants. Most of these plants spread from 4 to 5 feet at the ground, and are mostly sheared to a point at the top.

Thuya occidentalis, American Arbor Vitae

| 7 to 8 ft. heavy | 80.00 |
|--------------------|--------|
| 8 to 9 ft. heavy | 90.00 |
| 9 to 10 ft. heavy | |
| 10 to 11 ft. heavy | 125.00 |
| 11 to 12 ft. heavy | |

These plants are a part of the heavy stock listed above but they are bare on one side ranging from 1½ ft. to 3 ft. from the ground, but in other respects they are as good as the specimens listed above, but on account of this defect we are offering them at a less price than the "Specimen" plants.

When these plants are ordered it must be specified in the order, "Bare on one side" otherwise the specimen plants will be shipped and priced accordingly.

Thuya occidentalis, Geo. Peabody, Golden Arbor Vitae

| 4 to 4½ | ft. | | ٠, | | | | | | | | | 40.00 |
|-------------|-----|--|----|------|--|--|--|--|--|--|--|-------|
| 4½ to 5 | ft. | | | | | | | | | | | 45.00 |
| 5 to 5½ | ft. | | | | | | | | | | | 50.00 |
| 51/2 to 6 : | ft | | | | | | | | | | | 55.00 |
| 6 to 7 ft. | | | | | | | | | | | | 60.00 |

" occidentalis globosa, Globe Arbor Vitae

| 1 ft | | | | | | | | | | | | | 15.00 |
|--------|--|------|------|--|--|--|--|--|--|--|--|--|-------|
| 1½ ft. | | | | | | | | | | | | | 20.00 |
| 2 ft | | | | | | | | | | | | | 22.50 |

" occidentalis plicata, Fern-leaved

| to | 8 | ft. | | | | | | | | | | | | | | | | | | | | | | | | , | 70 |). | 0 | 0 | |
|----|---|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----|----|---|---|--|
|----|---|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----|----|---|---|--|

" occidentalis pyramidalis, Pyramidal Arbor Vitae

| 2 to $2\frac{1}{2}$ | Ĭt. | | 20.00 | 175.00 |
|---------------------|-----|------|-----------|--------|
| 2½ to 3 | ft. | | 22.50 | 200.00 |
| 3 to 3½ | ft. | | 25.00 | 225.00 |
| 3½ to 4 | ft. | | 27.50 | 250.00 |
| 4 to 4½ | ft. | | 32.50 | 300.00 |
| 4½ to 5 | ft. | | 35.00 | 325.00 |
| 5 to 5½ | ft. | | 37.50 | 350.00 |
| 5½ to 6 | ft. | | 40.00 | |
| 6 to 7 ft | | | 45.00 | |

" Rosenthali, Pyramidal

7

| 2 to 2½ | ft | 25.00 |
|---------------------|----|-------|
| $2\frac{1}{2}$ to 3 | ft | 30.00 |
| | ft | 32.50 |

| Thuya, (Cont.) | Per 10 | Per 100 |
|---|---------|---------|
| " Siberica, (Warreana), Siberian Arbor | Vitae | |
| 1 to 1½ ft | 10.00 | |
| 1½ to 2 ft | 15.00 | 135.00 |
| 2 to 2½ ft | 20.00 | 175.00 |
| 2½ to 3 ft | 22.50 | 200.00 |
| " Siberica aurea, Golden Siberian Arbo | r Vitae | |
| 3½ to 4 ft | 40.00 | |
| 4 to 4½ ft | 45.00 | |
| 4½ to 5 ft | 50.00 | |
| 5 to 5½ ft | 55.00 | |
| For Thuya Orientalis and varieties, see 1 | Biota. | |
| Tsuga canadensis, Hemlock Spruce | | |
| 2 to 2½ ft | 15.00 | |
| 2½ to 3 ft | 17.50 | |
| 3 to 3½ ft | 25.00 | |
| 3½ to 4 ft | 27.50 | |
| 4 to 4½ ft | 30.00 | |
| 4½ to 5 ft | 32.50 | |
| 5 to 5½ ft | 35.00 | |
| 5½ to 6 ft | 40.00 | |
| 6 to 7 ft | 50.00 | |
| 7 to 8 ft | 60.00 | |
| Yucca filamentosa, Adam's Needle | | |
| 3 year | 2.25 | 20.00 |
| 4 year | 3.25 | 30.00 |
| | | |

Meehan's Mallow Marvels

Sometimes named "Giant Flowering Marshmallows"

We were the original introducers of this now known herbaceous plant.

Since its first introduction we have continued to improve it until now there is no type which excells ours.

PRICES are for Strong 2 Year Roots Meehan's Mallow Marvel, Pink 1.75 15.00 Meehan's Mallow Marvel, white 1.75 15.00 Meehan's Mallow Marvel, red 2.00 18.00 Meehan's Mallow Marvel, crimson 2.75 25.00

Thomas B. Meehan Co. WHOLESALE NURSERYMEN DRESHER, PA.